

What is claimed as new and what is desired to secure by Letters Patent of the United States is:

1. A disposable bag receptacle comprising:
  - 5 a body having an open top end portion and a closed bottom end portion, said body including a flexible outer surface impregnated with a pesticide; and
  - a plurality of flexible straps having opposed end portions attached to said body and extending outwardly therefrom respectively, said plurality of straps being engageable with each other for tying the open top end portion, said plurality of
  - 10 flexible straps each having a respective centrally disposed longitudinal axis and further having opposed side portions equally spaced therefrom and extending substantially parallel to the corresponding axis and along a length thereof respectively.
- 15 2. The disposable bag receptacle of claim 1, wherein said body defines a cavity extending between said top and bottom end portions and within said outer surface for receiving objects therein.
- 20 3. The disposable bag receptacle of claim 1, wherein said outer surface further comprises:
  - a predetermined quantity of fragrance substance impregnated therein and for emitting a pleasant aroma.
- 25 4. The disposable bag receptacle of claim 1, wherein said body has a longitudinal axis extending in a substantially vertical direction.
- 30 5. The disposable bag receptacle of claim 1, wherein said body has a longitudinal axis extending in a substantially horizontal direction, said body further having a bottom surface extending along the axis of said body with said outer surface extending substantially vertically and upwardly from said bottom surface.

6. The disposable bag receptacle of claim 1, wherein said plurality of straps are formed from durable material and are connected adjacent said top end portion of said body.

5

7. A disposable bag receptacle comprising:

a body having an open top end portion and a closed bottom end portion, said body including a flexible outer surface impregnated with a pesticide, said body defining a cavity extending between said top and bottom end portions and within said outer surface for receiving objects therein; and

10

a plurality of flexible straps having opposed end portions attached to said body and extending outwardly therefrom respectively, said plurality of straps being engageable with each other for tying the open top end portion, said plurality of flexible straps each having a respective centrally disposed longitudinal axis and further having opposed side portions equally spaced therefrom and extending substantially parallel to the corresponding axis and along a length thereof respectively..

15

8. The disposable bag receptacle of claim 7, wherein said outer surface further comprises:

20

a predetermined quantity of fragrance substance impregnated therein and for emitting a pleasant aroma.

9. The disposable bag receptacle of claim 7, wherein said body has a longitudinal axis extending in a substantially vertical direction.

25

10. The disposable bag receptacle of claim 7, wherein said body has a longitudinal axis extending in a substantially horizontal direction, said body further having a bottom surface extending along the axis of said body with said outer surface extending substantially vertically and upwardly from said bottom surface.

30

11. The disposable bag receptacle of claim 7, wherein said plurality of straps are formed from durable material and are connected adjacent said top end portion of said body.

5

12. A disposable bag receptacle comprising:

a body having an open top end portion and a closed bottom end portion, said body including a flexible outer surface impregnated with a pesticide for thwarting off insects and further including a predetermined quantity of fragrance substance  
10 impregnated therein for emitting a pleasant aroma, said body defining a cavity extending between said top and bottom end portions and within said outer surface for receiving objects therein; and

a plurality of flexible straps having opposed end portions attached to said body and extending outwardly therefrom respectively, said plurality of straps being  
15 engageable with each other for tying the open top end portion, said plurality of flexible straps each having a respective centrally disposed longitudinal axis and further having opposed side portions equally spaced therefrom and extending substantially parallel to the corresponding axis and along a length thereof respectively.

20

13. The disposable bag receptacle of claim 12, wherein said body has a longitudinal axis extending in a substantially vertical direction.

14. The disposable bag receptacle of claim 12, wherein said body has a  
25 longitudinal axis extending in a substantially horizontal direction, said body further having a bottom surface extending along the axis of said body with said outer surface extending substantially vertically and upwardly from said bottom surface.

15. The disposable bag receptacle of claim 12, wherein said plurality of straps are formed from durable material and are connected adjacent said top end portion of said body.